veterinary technology for life EICKEMEUEG®

veterinaartarvikud.ee

tartu@estdoma.ee Tel 7362 716



Kehtib kuni 30 / 06 / 2021



<u>Alla 100€ tellimustele transporditasu 10 eur</u>

EICKEMEYER® NARKOVET BASIC ANAESTHETIC UNIT

The NarkoVet Basic is a complete anaesthesia machine. Depending on the size of the patient it is supplemented with a corresponding anaesthetic system. Due to its low cost and ease of use, the device is ideal for entry into inhalation anaesthesia.

Table Model

- ▶ High accuracy Rotameter, 0.1 5.0 litres
- EICKEMEYER® TEC 3 Isoflurane Vaporiser
- Oxygen bypass
- Patient outlet: Ø outer: 22 mm; Ø inner: 15 mm

213067

213096

€ 220



Circle Breathing System (semi-disposable) For patients > 7 kg

360° swivel y-piece

2 litre rebreathing bag

female to 22 mm male

APL valve

Scavenge adaptor: 30 mm

Twin patient tubing with

- Ayre's T-Piece For patient
 - For patients < 7 kg
 - Length: 1.8 m includes: 0.5 litre rebreathing bag
 - APL valve







OxyVet IV Oxygen Concentrator


Oxygen concentrator for use in oxygen therapy and anaesthesia. An oxygen concentrator draws in room air, separates the oxygen from other gases in the environment and delivers the oxygen at high concentrations.

- Saving costs and effort: No oxygen bottle required, lower power consumption
- Simple operation thanks to the clear arrangement of the setting functions and monitoring information
- ▶ High patient safety through visual and acoustic alarms Noise level: ≤ 55 dbA
- Flow rate continuously adjustable from 0.5 5 l/min
- Output of up to 93 % oxygen (± 3 %)
- Incl. Bubble humidifier and O₂ hose
- Dimensions (in cm): L 34 x W 37 x H 67
- Weight: 15.3 kg
- 1 year warranty

213180







EICKEMEYER® NARKOVET ANAESTHETIC UNIT



The EICKEMEYER[®] NarkoVet Anaesthetic Unit is now even more flexible: Can be set up as a desk, wall or stand model.

Table mounted Model

- Flow Meter (0.1 5.0 l/min)
- System pressure gauge
- Infinitely adjustable pressure relief valve
- Oxygen bypass
- TEC 3 Isoflurane Vaporiser
- Soda Lime canister and accessories
- Safety valve for manual ventilation included (213083)
- Suitable for small animals up to 80 kg
- Dimensions (in cm): L 32 x W 25 x H 51

213062

NarkoVet Anaesthetic Starter Kit Includes:

- Isoflurane Safety Key Filler
- EickSorber Anaesthetic Gas Absorber
- Scavenging System Hose, 2 m, transparent
- 3 Soda Lime Anaesthetic Absorber 5 l
- 3 Rebreathing Bags (1, 3 and 5 l)
- ▶ 6 Anaesthesia Masks (sizes 1–6)
- 9 PVC Endotracheal Tubes (2.5 10.0 mm)
- Laryngoscope Basic

213068





Anaesthetic Unit Trolley

21309535



Anaesthetic Unit Oxygen Concentrator Shelf 213098



Wall Bracket for EICKEMEYER® Anaesthetic Unit 21309403



Anaesthetic Unit Top Shelf

For monitoring devices

21309902





NARKOVET SAV RESPIRATOR FOR SMALL ANIMALS

The main cause of serious anaesthetic incidents in veterinary practices is the patient's unnoticed apnoea. Routinely controlled ventilation helps to drastically reduce such risks during anaesthesia and thus ensures the optimal safety of your patients.

- The setting of the NarkoVet SAV is extremely user-friendly, just set the patient's body weight and the intelligent software automatically adjusts all other ventilation parameters
- Simple control - the ventilator controls all breathing parameters independently
- Three different ventilation modes: volume-controlled ventilation (VCV), pressure-controlled ventilation (PIP-CV), apnoea mode (controlled spontaneous breathing with apnoea detection)
- Clear "at a glance" parameters thanks to the large colour display
- Inclined control panel for easier reading and operation by touch
- Acoustic and optical alarms ensure high patient safety
- Long battery life of up to 4 hours

Technical specifications

- Ventilation rate: 2-60 bpm
- Tidal volume: 20-1,500 ml
- Maximum ventilation pressure: 5 – 35 cmH₂O
- Release pressure -9.0 -1.0 cmH₂O
- Patient weight range: 2–100 kg
- Touchscreen: 5 inch LCD colour display, 800 x 480 px
- Mains and battery operation, battery life up to 4 hours
- Power supply: 100 – 240 V
- Mains voltage: 50/60 Hz
- Dimensions (in mm): L 253 x W 224 x H 112
- Weight: approx. 3.2 kg

Ventilators are pneumatically driven.

A compressed air source is required to operate the NarkoVet SAV (e.g. compressor item no. 17430002).

213015



AIR COMPRESSOR AND MICRO OIL FILTER

Air Compressor

- Required for NarkoVet SAV
- b Quiet, 40 dB (A) (as a fan)
- Low maintenance ►
- Compact design
- Powerful (340 Watt) b
- 230 V, 8 bar / 116 psi, 37 l / min
- 6 l capacity
- Dimensions (in cm): L 45 x W 43 x D 20 ▶

17430002



Micro Oil Filter

Reduces the oil content in the compressed air down to 0.01 %



€ 113





17430002

17404301

Hindadele lisandub käibemaks +20%

Eickemeyer



LIFEVET 8M/8C MULTIPARAMETER MONITORS

The LifeVet 8 is a modern, high performance patient monitor that delivers flexibility and efficiency in a compact and portable device. Operation via touch screen is easy and the shortcut buttons provide quick and direct access to the most important functions.

- Multiparameter display of Respiratory Rate (RESP), Pulse Rate (PR), Oxygen Saturation (SpO₂), Blood Pressure (NIBP), Electrocardiogram (ECG), Temperature (TEMP) and Sidestream Capnography (CO₂ – only LifeVet 8C)
- High resolution 8.4" LED touch screen with up to 8 waveforms
- Freely selectable alarm limits and 360° visible alarm display
- Mains and battery operation (up to 4 hours)
- Incl. Li-Ion Battery, NIBP Cable with Cuff, ECG Cable with ▶ Clamps, SpO₂ Sensor with Clips, Temperature Probe and CO₂ Adapter, CO₂ Cable and Water Trap (CO₂ only LifeVet 8C)
- Dimensions (in cm): W 27 x H 21 x D 11
- Weight: ≤ 3.2 kg





321910

tartu@

estdoma.ee

veterinaartarvikud.ee

LIFEVET 12M MULTIPARAMETER MONITOR

The LifeVet 12M adds modularity to a powerful configured multiparameter monitor. With plug-and-play options, the LifeVet 12M can be configured to meet any requirements of a modern veterinary practice or referral hospital.

- Reliably measures RESP, PR, SpO₂, NIBP, ECG and TEMP
- Additional plug-and-play modules provide expanded parameters including IBP, CO₂, Multi-Gas and Oxygen
- High-Res 12.1" LED touch screen with up to 8 waveforms
- Customisable keys for fast access to frequently used functions
- Selectable alarm limits and 360° alarm indicator
- Mains and battery operation (up to 4 h)
- Incl. Li-Ion Battery, NIBP Cable with Cuff, ECG Cable with Clamps, SpO₂ Sensor with Clips and Temperature Probe
- Dimensions (in cm): W 32 x H 28 x D 13
- Weight: ≤ 4.5 kg ▶

321910



32191001



32191001

1200

TREATMENT TABLE WITH ELECTRIC LIFTING COLUMN

The new, optimised treatment table with a three-part electric lifting column is characterised by a very low, minimal height of only 53 cm. This means that heavy dogs can be lifted onto the treatment table easily and without straining the back. The elegant aluminium lifting column encases the quiet and powerful linear drive, which can bring animals weighing over 100 kg quickly and easily to the required working height.

- Height adjustable from 53 to 100 cm
- With flat stainless steel tabletop, 60 x 130 cm
- Heavy base plate with 4 rubber feet for level adjustment
- Easy to clean and disinfect

600250





Illustration RAL No.

Colour



The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

- X-Base with 4 individually adjustable feet
- Provides best possible legroom and stability
- Good working posture whether sitting or standing
- Slim lift column made of aluminium, pump hydraulic or mains operated
- Self-contained, maintenance-free lift column
- Height adjustable from 72–112 cm
- Unidirectional 90° tilt mechanism, one hand control
- Stainless steel top with rounded, anti-drip edges and drain hole
- Two tabletop widths: 50 cm and 60 cm
- Optional heated tabletop
- Various colour options available



60 x 130

50 x 130





602012

Electric

Hydraulic



LOW LIFT SCISSOR TABLE II

The EICKEMEYER® Low Lift Scissor Table II is perfect for lifting and transporting larger patients without unnecessary handling and movement. The basic stationary table is available in eight different colours and the additional options available make this table a real all-rounder for your practice.

- Ideal for examination, prep, dental treatment and procedures
- Minimum height of 28 cm allows large dogs to walk onto the table
- Maximum height of 105 cm allows you to examine smaller patients without having to hunch and lean forward
- All parts made from high quality German stainless steel
- Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole
- Silent electric operation via foot pedal
- Includes power supply and tie down cleats

Variations Illustration RAL No. Stainless Steel 604200 3000 Flame Red 604201 6018 Lime Green 604202 5022 Night Blue 604203 2001 604204 Red Orange 6005 Moss Green 604205 4010 Pink 604206 9010 Pure White 604207

Stainless Steel





Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

Battery Kit

 Includes Battery and Charger

604307



Mobile Kit

Includes Wheels,
 Battery and Charger

604306



Electric Tilt Option For tabletops





Dental Table Extension

Includes removable
 Grill and Tray

604302



DIN Table Rail System

- Lateral
- Attachable

604304



Integrated Scale Option

Weighing range 0–120 kg 604305







SCORE® STOOLS

The ever so popular SCORE[®] treatment stools now come in new, fresh colours - real eye-catchers for your practice!

- Comfortable, cushioned seat •
- Easily washable synthetic leather
- Smooth running double castors
- Aluminium base diameter: 54 cm

SCORE[®] JUMPER

- Cushioned saddle seat
- Adjustable height: 59-77 cm





SCORE® AMAZONE

Narrower saddle seat

SCORE® MEDICAL

Traditional round seat Adjustable height: 55-74 cm





61011201

	JUMPER	AMAZONE	MEDICAL
Colour	ltem No.	ltem No.	ltem No.
Black	61010001	61011001	610120
Anthracite	610101	610111	610121
Capri Blue	61010201	61011201	61012201
Forest Green	61010301	61011301	61012301
Burgundy	61010401	61011401	61012401
Orange	61010501	61011501	61012501
Pink	610106	610116	610126
Ochre Yellow	610107	610117	610127



SCORE® MEDICAL OPERATING CHAIR

Operating chair with round seat and functional lumbar support that can be easily adjusted in height and angle.

- Foot operation allows easy adjustment of the seat height during procedures, 56-76 cm
- Comfortable, cushioned seat with Ø 40 cm
- Easily washable synthetic leather ►
- Smooth running double castors
- Aluminium base diameter: 54 cm

610195



SCORE® ERGO SUPPORT CHAIR

On the SCORE® Ergo Support you sit healthy and work comfortably and it offers good support during long static work.

- Foot operation allows easy adjustment of the seat height during procedures, 52-71 cm
- Rounded "Ergo Shape" seat with Ø 40 cm
- Adjustable, curved armrests
- Compact functional lumbar support
- Easily washable synthetic leather cover
- Large aluminium base diameter: 68 cm
- Smooth running double castors ▶

610060





SHOR-LINE 3 KENNEL COMBINATION

One of the most popular kennel configurations for 3-4 patients. The large bottom cage can easily be divided. This means that up to four animals can be accommodated comfortably. To enable larger patients to easily get into the cage, the middle cage post of the bottom cage can be removed quickly.

- Two top row kennels: 610 x 610 mm
- One bottom row kennel with double door: 1,219 x 762 mm
- Stainless Steel Mobile platform
- Including removable Kennel divider

634800





INFUSION HOLDER FOR SHOR-LINE KENNELS

This new infusion holder secures both the infusion bag and the infusion pump safely on the door of your SHOR-LINE kennel.

- Height-adjustable infusion bag holder
- Fixing rod for infusion pumps
- All stainless steel

402076



EICKWARM HEATING PADS

Ideally used post-operatively to maintain body temperature.

- Temperature range 35 45 °C
- Timer: 1 to 9 hours
- Water-resistant
- Easily used in continuous operation
- Low voltage: 12 V

30 x 40 cm

648048

50 x 65 cm 648050















EICKEMEYER® LED 4 EXAMINATION LIGHT

Modern examination light for the practice with energy-saving LED technology. With an illuminance of approx. 50,000 lux at a working distance of 30 cm, the EICKEMEYER® LED 4 examination light offers optimal illumination for a professional examination.

Technical specifications

- ▶ 15 V/11.25 W LED lamp with 4 high-performance LEDs
- Illuminance: approx. 50,000 lux/30 cm distance
- Aluminium light head for optimal heat convection and heat radiation
- Lifespan: approx. 50,000 hours
- Colour temperature: approx. 4,200 kelvin
- Gooseneck construction with 90 cm long arm (arm remains in the desired position)
- Maximum examination height: 165 cm
- Stable, tilt-proof mobile stand (5-foot stand) made of powder-coated metal

611111





DR. MACH LED 130 EXAMINATION AND THEATRE LIGHT

The DR. MACH LED 130 has been our best selling LED light over the past years with hundreds of installations across the UK and Europe. Whether in prep, dental or in the operating theatre, the LED 130 supports veterinary professionals with superior technology, invariable reliability and great design.

- Colour rendering index: $R_a \ge 95$
- Electric dimmer, 50–100 %
- Colour temperature: 4,300 kelvin
- Light head diameter: 33 cm
- Number of LEDs: 19
- Power consumption: only 28 W
- Optional sterilisable Handle (611266)

DR. MACH LED 130 PLUS

- 100,000 lux at 1 m working distance
- Fixed light field: 12 cm at 1 m

DR. MACH LED 130 PLUS						
Item No.	Model		€			
611736	Stand Model, mobile		1700			
611737	Wall Model with		1600			
	171 cm reach					
611738	Ceiling Model*,		1800			
	up to 3 m					

DR. MACH LED 130 F

- > 70,000 lux at 1 m working distance
- Focusable light field: 14 25 cm at 1 m

DR. MACH LED 130 F						
ltem No.	Model		€			
611733	Stand Model, mobile		1800			
611734	Wall Model with 171 cm reach		1800			
611735	Ceiling Model*, up to 3 m		1900			



611737

* For ceiling lights, please order the ceiling ring (612730) separately

Based on the continuing success of the LED 130, the LED 150 offers a larger light head diameter and more light intensity. The Sterilisable Handle can be removed for sterilisation and additional handles can be purchased separately.

- Colour rendering index: Ra ≥ 96
- Electric dimmer: 50–100 %
- Light head diameter: 38 cm
- Number of LEDs: 26
- Power consumption: only 35 W

DR. MACH LED 150 (SWING)

- 110,000 lux at 1 m working distance
- Colour temperature: 4,000 kelvin
- Fixed light field: 19 cm at 1 m

DR. MACH LED 150						
ltem No. Model €						
612930	Stand Model, mobile		2500			
612931	Wall Model with 171 cm reach		2500			
612932	Ceiling Model [*] , for ceiling heights of 2.60 – 3 m		2600			

DR. MACH LED 150 FP (SWING)

- 130,000 lux at 1 m working distance
- Colour temperature: 4,300 kelvin
- ▶ Focusable light field: 17–24 cm at 1 m

DR. MACH LED 150 FP					
ltem No.	Model		€		
612936	Stand Model, mobile		2800		
612937	Wall Model with		2600		
	171 cm reach				
612938	Ceiling Model*,		2800		
	for ceiling heights				
	of 2.60–3 m				

612932

tartu@

estdoma.ee

veterinaartarvikud.ee



DR. MACH LED 300DF THEATRE LIGHT

The latest addition to the range of the quality manufacturer DR. MACH impresses with the highest light intensity at an extremely attractive price. The light beams of the three LED clusters can be bundled using the sterilisable handle and, depending on the size of the wound area, also focused.

- 160,000 lux at 1 m working distance
- Focusable light field: 17–27 cm
- Colour rendering index: $R_a \ge 95$
- Height adjustment: 118 cm
- Working area: 70–140 cm
- Number of LEDs: 36
- Lifespan of the LEDs: 60,000 hours
- Electronic brightness control on the luminaire body



With a total reach of 175 cm

612924



€ 4500



For ceiling heights







Hindadele lisandub käibemaks +20%

* For ceiling lights, please order the ceiling ring (612730) separately



EICKEMEYER® SYRINGE PUMP

- Compatible with 5, 10, 20, 30, 50 and 60 ml syringes
- Different alarm options ensure patient's safety
- Continuous operation at 5 ml/h flow rate
- Mains or battery powered (up to 6 h)
- Dimension (in cm): L 36 x W 14.5 x H 12.3
- Weight: 1.95 kg

402088





INFUSOVET EASY II INFUSION PUMP

- LCD display with backlight
- User-friendly, intuitive operation with clearly arranged buttons
- High patient safety through adjustable audible and visual alarms
- Flow rate: 0.1 up to 1,500 ml/h
- Accumulated volume: 1-9,999 ml
- Mains and battery powered (up to 4 h)
- With pole clamp
- Dimensions (in cm): W 14.6 x H 19.3 x D 9.5
- Weight: 1.6 kg

402080





EICKEMEYER® I.V. FLUID WARMER

- For warming up all intravenously administered liquids
- LED display with temperature display
- ▶ Temperature control from 35 to 42 °C in 0.1 °C steps
- Alarms: Overheating, temperature too low, system error, door open, heating reminder
- Fastening with lanyard or fastening clamp
- Warm-up time: less than 2 min
- Dimensions (in cm): L 18 x W 7 x D 3.5
- Weight: 200 g (without mounting clamp)

402092





ULTRASOUND TABLE



- Suitable for cardiac ultrasound examinations
- Fits on standard examination tables
- Five foldable feet
- Plastic PE500
- Dimensions (cm): 140 X 60 X 18 (L x W x H)

303978



Ultrasound Table Padded Cover with cutout

- Dual-sided use
- Velcro straps

303979



Ultrasound Table Reduction Insert

Suitable for small dog and cat cardiac ultrasonography

303977



Cut Out Cover

For Ultrasound Table







MAGIC 500 PLUS PORTABLE ULTRASOUND UNIT

The MAGIC 500 PLUS sets a new standard of mobility for pregnancy testing in the field. With only 1.1 kg and an integrated rechargeable battery, it ensures maximum comfort and user friendliness

Features

- Long service life: due to the long battery life of the battery supplied, unforeseen extended scanning sessions are not a problem.
- Efficient workflow: Performing measurements on stored images ensures an efficient examination process
- Via a Wi-Fi connection images and videos can be transmitted wirelessly to external devices (PC, laptop, tablet, smartphone) as well as monitors
- Higher diagnostic reliability with Cine Memory (256 frames)
- Individually adjustable ultrasound image
- Protection by splash-proof venting and membrane keypad
- Mounting rings and straps for easy hanging around the neck

Areas of application

- Pregnancy examinations in cattle and horses
- Adjustment aids for optimal work
- Standard measurements and vet pregnancy calculation
- Anti-reflective ultrasound image individually adjustable
- Measurements below 1 mm possible (fat layer thickness measurement)
- Back fat and loin thickness calculation

Hindadele lisandub käibemaks +20%

Technical specifications

- 15cm LED Monitor
- Black-and-white system
- Images and video clips can be saved on the device
- Incl. a switchable, changeable transducer 6.5 MHz, linear rectal, frequency switching of: 4.5 / 5.5 / 6.5 / 7.5 MHz
- Incl. a glove for the left hand (right glove can be reordered)
- Incl. Carrying case
- Integrated battery with up to 5 hours runtime
- Dimensions (in cm): W 16 x H 16 x D 7
- Weight: 1.1 kg

303790



Unbeatable value for money!

The MAGIC 3000 PLUS impresses with many new functions and features. Advanced technologies including Power Doppler (PDI) and PW Doppler help evaluate blood flow in different clinical conditions.

- High-resolution 12.1" LCD Screen, tiltable
- Cine mode with memory function (5 sec.)
- Various measurements including pregnancy calculation
- iStation[™], iClear[™], iZoom[™], iBeam[™] and iTouch[™]
- Second probe connection for quick probe swap
- Internal SSD storage and two USB ports
- Dimensions (in cm): W 29 x H 35 x D 17
- Lightweight: only 5.6 kg
- 304045





PROBES FOR MAGIC 3000 PLUS / 6000 PLUS



MAGIC 6000 PLUS PORTABLE ULTRASOUND UNIT

A new dimension in image quality

The MAGIC 6000 PLUS not only opens a new dimension of image quality in small animal abdominal sonography, the device can also be used in equine gynaecology and orthopaedics. With a powerful cine mode, you can always keep an overview even with restless patients under difficult conditions.

- High-resolution 15" display, tiltable
- Cine mode with memory function (5 sec.)
- PW and Power Doppler (PDI) with "Auto Trace"
- Optional Colour Doppler Upgrade (30374001)
- IStation™, iClear™, iZoom™, iBeam™, iTouch™ & iScape™
- Various application-specific measurements for abdomen and gynaecology including pregnancy calculation
- Second probe connection for quick probe swap
- Large internal SSD storage and two USB ports
- Dimensions (in cm): W 36 x H 36 x D 15
- Weight: 8.1 kg

303740



Komplekt					
MAGIC 6000 PLUS + 1 Probe					
Total					
€ 3800					

MAGIC P1 PORTABLE ULTRASOUND UNIT

Highest mobility meets highest performance

The MAGIC P1, with its advanced features, is one of the most highly developed Premium Colour Doppler systems in laptop format. The exceptionally hi-tech equipment guarantees excellent picture quality in all applications.

Adjustment aids for optimal work

- Clear patient management
- Optimised image resolution is adjustable
- Improved pre- and post-processing
- Image magnification without quality loss
- Auto Doppler: automatic image parameter adjustment

Special features

- Excellent image quality through the use of state-of-the-art image enhancement tools
- Simple report function
- Special Vet Software (body marks, pregnancy examination)
- Single crystal technology for brilliant cardio images
- Extremely fast: boot time from standby mode is only 5 seconds!
- Long battery life of up to 90 minutes

Technical specifications

- Picture modes: B, B + B, B + M, M, CDI, B + CDI, PW, CW
- Doppler modalities: Colour, PW, CW Doppler
- 15" LED HD Monitor, tiltable
- Internal memory 240 GB
- 2 probe connections, 2 USB ports
- Image export in Windows formats (DICOM optional)
- Dimensions (in cm): W 35 x H 6.5 x D 37

Weight: 4.9 kg



►



Convex Probe





tartu@ estdoma.ee veterinaartarvikud.ee



304490

PROFIDENT PLUS DENTAL UNIT

The Profident PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profident PLUS automatically supplies air and water to it.

High Speed Turbine (300,000 rpm)

- Push button burr change for friction grip burrs (FG)
- Variable burr water cooling facility
- With LED Illumination

Low Speed Air Motor (20,000 rpm) with Straight Handpiece

- For long straight shank burrs (HP), diamond discs and prophy heads
- High torque, forward and reverse rotation
- Optional water cooling facility (174022)

Built-in Dental Scaler

- Handpiece with LED Illumination
- Includes 5 scaling tips

3 in 1 Syringe

- Precise finger tip control of water, mist or dry air
- Water connection to connect external dental scaler (e. g. 176870)

174024





Scaler with LED lighting

Dental Unit Air Compressor

- Powerful (340 watt)
- Quiet, 40 dB (A) (as a fan)
- Low maintenance

17430002



Starter Kit

Complete set, consisting of:

- 1x Bur Kit for Contra Angle
- 1x Prophy Cups
- 1x Polishing Paste
- 1x Cleaning Brush

EXP174004



17430002

Dental Handpiece High Speed (FG)

Micro Oil Filter

- Reduces the oil content in the compressed air down to 0.01 %
- Helps extend the life of handpieces

17404301





MOBILE DENTAL CART

Turns every table into a dental treatment table!

With the Mobile Dental Cart from EICKEMEYER[®], every operating or treatment table becomes an ergonomic dental treatment table.

- For attachment to operating and treatment tables
- Ergonomic, curved dental tray with grate
- Easily removable tray for cleaning
- Made of stainless steel
- With 4 lockable smooth running castors
- Height adjustable from 75 100 cm
- Tray size (in cm): W 50 x D 35

605105







Easier, safer & faster dental surgery

DENTANOMIC instruments are premium surgical tools with superb tempered & hardened modular blades making dental extraction in dogs and cats easier, safer and faster.

- Blades are made from top quality, hardened stainless steel and cut much better than conventional instruments
- Unique modular design allows easy blade replacement when blades are blunt or damaged
- Ergonomic handle design promotes safe palm grip, only minimal finger force is required to stabilise the cutting edge
- Standard handles are perfectly balanced and sized for surgeons with hands up to 7.5 glove size

DENTANO	MIC Dental Instruments		
Item No.	Description		€
175000	Ergonomic Handle, blue		80,-
175001	Ergonomic Handle, green		80,-
175002	Ergonomic Handle, pink		80,-
175008	Ergonomic Handle, orange		80,-
175009	Ergonomic Handle, purple		80,-
175005	Ergonomic Handle, blue, longer shaft		80,-
175006	Ergonomic Handle, green, longer shaft		80,-
175007	Ergonomic Handle, pink, longer shaft		80,-
175003	Ergonomic Handle, orange, longer shaft		80,-
175004	Ergonomic Handle, purple, longer shaft		80,-
175100	Elevator Tip, 2 mm		26,-
175101	Elevator Tip, 3 mm		26,-
175102	Elevator Tip, 4 mm		26,-
175103	Elevator Tip, 5 mm		26,-
175104	Luxator Tip, 1.5 mm		26,-
175105	Luxator Tip, 2 mm		26,-
175106	Luxator Tip, 3 mm	—	26,-
175107	Luxator Tip, 4 mm		26,-
175108	Luxator Tip, 5 mm		26,-
175200	Storage and Sterilisation Rack for 9 Blades		100,-
175201	DENTANOMIC Honing Pack incl. 2 Sharpeners, extra fine		75,-



175004

175000







The DigiVet DR Dental X-Ray Sensor gives you the power to capture high quality digital X-Rays and view them instantly with the powerful METRON Software included.

DigiVet DR

- With USB port and high-resolution CsI scintillator
- Dimensions: 42 x 31 mm, height 5 mm/13 mm (cable)
- Active area: 34 x 26 mm
- Resolution: 20 lp/mm
- Pixel size: 20 x 20 micron
- Number of pixels: 2.21 million

METRON Software

- Intuitive acquisition and image editing software
- DICOM interface integrated
- Tooth charts for the assignment of X-Ray images

708032





Eickemeyer

18

DIGIVET CR PLUS DENTAL X-RAY READER

The easy-to-use DigiVet CR PLUS Dental Reader now delivers even better images. With a resolution of 21 lp/mm, the digital imaging plate system leaves nothing to be desired.

- Optimised workflow for your practice
- Dental imaging plates from size 0 to 4c
- Magnetic feeding tray with erase function
- Easy-to-use imaging Software incl. DICOM (Send/Retrieve)
- Compact dimensions (in mm): H 265 x W 120 x D 318

Includes DigiVet CR PLUS Starter Kit

- 4 x size 2 Imaging Plates (31 x 41 mm)
- 1 x size 4c Imaging Plate (48 x 54 mm)
- ▶ 100 x Hygienic Bags, Size 2
- ▶ 100 x Hygienic Bags, Size 4c

708035



Eickemeyer









DIGIVET DR FLAT PANEL DETECTOR

The DigiVet DR is the latest easy DR solution that requires no change to your conventional X-Ray System. A large coverage area of 17 x 17 inches (43 cm x 43 cm) enables a quick and effortless integration. This solution not only enables ultra-fast acquisition times of only 1.2 seconds but also features an amazing 9.4 Megapixel resolution. The DigiVet DR comes with VXvue, a user-friendly and versatile imaging software that is compliant with the DICOM 3.0 standard. Scintillator: CsI(Tl)

- Panel technology: a-Si TFT with PIN diode
- Pixel Pitch: 140 x 140 um
- Resolution: 9.4 Megapixel (3,072 x 3,072 pixels)
- Image size: 17" x 17" (43 cm x 43 cm)
- A/D Conversion: 14 bit
- Grayscale: 16,384 grayscales
- Interface: Gigabet Ethernet
- Automatic Exposure Detection (AED) imaging technology
- Dimensions (in mm): W 470 x L 470 x H 15
- Weight: approx. 5 kg

708482



€ 16 000,-

X-RAY APRONS

- Lightweight and comfortable protection
- Water repellent and stain resistant nylon
- Velcro side straps
- 0.5 mm lead protection
- Colour: Dark blue

Size M

- Shoulder width: 41 cm
- Body height: 170–180 cm

704935





Shoulder width: 43 cm

Body height: +180 cm

Size L



704945

X-RAY THYROID PROTECTION COLLAR

- Helps protect the most radiation sensitive organ of the body
- 0.5 mm lead protection
- Soft collar with a Velcro closure
- One size fits all

705001





X-RAY MITTENS AND HAND SHIELDS

- Ideal for holding small animals
- 0.5 mm lead protection
- Pair

X-Ray Hand Shield

- Small
- Dimensions (in cm): W 14 x L 20

705501





Dimensions (in cm): W 18 x L 30

705502



X-Ray Mittens

- One size fits all
- Finger slits for free finger movement as well as total hand protection

705750





705750



estdoma.ee

tartu@

EICKEMEYER® PAWSITIONER

The Pawsitioner is designed to secure patients for surgery and hands-free diagnostic imaging. It eliminates the need for tie-downs and makes it easy to clip and scrub patients in the prep room then transport them to surgery without having to re-position. Each cradle is shaped and contoured to allow for maximum surgical exposure and manoeuvrability while on the surgery table. The Pawsitioner is also ideal for hands-free radiographic positioning, including V-D, left or right lateral, V-D pelvis for OFA evaluation, rostral-caudal skull views and much more without re-positioning the patient for each radiograph. The cradle may also be used to hold patients for laparoscopy, CT, MRI, myelography and ultrasonography.

Complete Set

Consisting of 5 sizes and wall mount for space-saving storage

605920

Size XS

605921

€ 160



Length: 60 cm

Size S ▶ Length: 75 cm 605922

€ 160





.....

Size XL Length: 150 cm 605925

application video of the Pawsitioner



OR code for the

605925

EICKEMEYER® MICROSCOPE

- A basic microscope with good optical quality at an affordable price
- Binocular head Siedentopf type, 30°
- Widefield eyepieces WF10x/18 mm
- Achromatic objectives 4x/0.1, 10x/0.25, 40x/0.65, 100x/1.25 oil
- Köhlersche illumination system, 12V /20 W halogen lamp
- Blue filter
- Abbe condenser 1.25 N.A.
- Mechanical stage 190 x 140 mm

710061



MOTIC B1 ELITE LED MICROSCOPE

MOTIC's B1 series has long been a stalwart of reliable microscopy providing a solid platform for imaging. In this new B1 Elite version, we have upgraded it with new optics and mechanics normally only found in more expensive models, which ensures this line's competitiveness and performance well into the next decade.

- Binocular tube, sliding type, 45° viewing angle
- Diopter adjustment: On both tubes: ±5 diopter
- Interpupillary distance: 55 75 mm
- Semi-Planachromatic Objectives: 4x/0.10, 10x/0.25, 40x/0.65, 100x/1.25 Oil
- Mechanical stage with coaxial controls, 140 x 135 mm
- Focusable Abbe condenser with iris diaphragm
- > 3 W LED illumination with intensity control

710003





MOTIC BA210 AND MOTICAM BT8X PLUS CAMERA TABLET

Motic BA210 LED Microscope

The MOTIC BA210 LED microscope is a robust instrument that provides professional and repeatable results to the veterinary practice. EC Plan Achromat Objectives made of high quality optical glass enhance images even with weak slide stainings.

- > Trinocular tube, Siedentopf type, 30° viewing angle
- Widefield eyepieces with diopter adjustment ±5
- Interpupillary distance: 55 to 75 mm
- EC Plan Achromat Objectives: 4x/0.10, 10x/0.25, 40x/0.65, 100x/1.25 Oil
- Mechanical stage with coaxial controls, 140 x 135 mm
- Focusable Abbe condenser with iris diaphragm
- LED illumination 3 W with intensity control

710014



Moticam BTX8 Plus Tablet Camera

The Moticam BTX8 Plus combines space-saving camera hardware with new WiFi technology. The live image in full HD delivers up to 30 images per second with 4 MP storage format. The Android operating system and the integrated MotiConnect app make it possible to view, edit and record the live image.

- Resolution: 4 MP
- Live image resolution: 1,920 x 1,080 (Full HD)
- Video format: 720P (HD)
- Data transmission: WiFi and Ethernet (RJ45)
- Display: 8" Touchscreen
- Incl. 16 GB micro SD card, HDMI and USB 2.0 cable

710023



C-Mount Camera Adapter

For Moticam BTX8, Moticam BTU 8 and Moticam S2

0.5X C-mount





Hindadele lisandub käibemaks +20%

tartu@ estdoma.ee veterinaartarvikud.ee

The EickLoxx Small is a polyaxial locking kit for dogs and cats up to 15 kg.

The system distinguishes itself through the polyaxial placement of the custom-fit screws and combines the advantages of a locking plate system with polyaxial screw placement in \pm 15° longitudinal and transverse pivoting.

Compared to conventional osteosynthesis systems, the use of locking systems (internal fixation) such as the EickLoxx Small facilitates faster healing of fractures and improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium plates are available in three sizes and can be cut to the desired length and bent in three planes. Specially designed tools are included to perform this. Titanium also reduces artefacts in post-operative imaging.

EickLoxx Small is a modular system. All implants and instruments are made in Germany using only the highest quality materials.

Set includes


- EickLoxx Small Instrument Tray
- EickLoxx Small Implant Tray
- EickLoxx Small Screw Rack
- TAURUS Plates and Wire Cutting Pliers
- Plate Bending Pliers with Rollers
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling (Ø 1.4 mm, Ø 1.8 mm & Ø 2.0 mm)
- 2 Screwdriver Blades (Torx 6 & Torx 10)
- > 2 Drill Guide Funnel Systems (1.7/2.3 & 2.7/3.5)
- Plate and Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plate Positioning Pins
- Depth Gauge
- EickLoxx Small Bone Plate, 46 hole, System 1.7/2.3, Dimensions (in mm): L 230 x W 5.0 x H 2.0
- EickLoxx Small Bone Plate, 41 hole, System 1.7/2.3, Dimensions (in mm): L 225 x W 6.5 x H 2.4
- EickLoxx Small Bone Plate, 28 hole, System 2.7, Dimensions (in mm): L 224 x W 8.0 x H 2.7
- 28 Titanium Locking Screws Ø 1.7, silver (from 8 – 20 mm)
- 28 Titanium Locking Screws Ø 2.3, gold (from 8 – 20 mm)
- ♦ 44 Titanium Locking Screws Ø 2.7, light blue (from 10 – 30 mm)
- Container, dimensions (in mm): L 312 x W 183 x H 122

185500











The universal polyaxial osteosynthesis system for small animals The newly developed EickLoxx Large is a polyaxial locking system for dogs with a weight of approx. 15 to 65 kg.

Just like the EickLoxx Small, the system is characterised by a polyaxial placement of the precisely shaped screws and therefore combines the advantages of locking systems and the possibility of placing screws at an angle of up to \pm 15°. Like the EickLoxx Small, the EickLoxx Large offers the advantage of rapid fracture healing with improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium S-shaped plates are available in eight different sizes. Thanks to special tools, the plates can be bent in all three planes. The long 14- and 16-hole plates (3.2 and 4.5 mm) as well as the long 34 to 40 mm screws (Ø 2.7/ 3.5/4.0) are not included in the basic set and can be added if required. There is space in the implant tray for the long plates, and capacity for the module for the long screws (not shown) in the instrument tray.

Set includes

- EickLoxx Large Instrument Tray
- EickLoxx Large Implant Tray
- EickLoxx Large Screw Rack
- 2 Bone Plate Modules
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling (Ø 2.0 mm, Ø 2.5 mm & Ø 2.9 mm)
- Screwdriver Blade (Torx 10)
- Drill Guide Funnel System 2.7/3.5/4.0
- Plate and Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plate Positioning Pins
- Depth Gauge
- 6 EickLoxx Large Bone Plates, 4.0 mm, gold (6-12 holes)
- ▶ 6 EickLoxx Large Bone Plates, 4.5 mm, light blue (6-12 holes)
- 36 Titanium Locking Screws, Ø 2.7 mm, light blue (from 10-32 mm)
- 36 Titanium Locking Screws, Ø 3.5 mm, magenta (from 10-32 mm)
- 36 Titanium Locking Screws Ø 4.0 mm, blue (from 10-32 mm)
- Container, dimensions (in mm): L 312 x W 183 x H 122

187730






tartu@

estdoma.ee

veterinaartarvikud.ee









Zlig - the history

The tear of the anterior cruciate ligament is still one of the most common orthopaedic diseases in dogs. The path of the many surgical methods developed for this vary from intracapsular and extracapsular techniques to modern corrective osteotomies that alter the geometry of the affected knee joint. With the development of new materials in medical technology, it is now possible to replace the cranial cruciate ligament in an anatomically correct manner, instead of changing the forces acting on the joint. After a long period of preparatory work by the French Dr Jacques-Phillipe Laboureau, a suitable synthetic ligament is now available for the intra-articular cruciate ligament replacement in small animals. Together with the instrumentation developed by EICKEMEYER®, this new technique for cruciate ligament replacement can now be performed.

Zlig – the implant

The Zlig consists of ultra-high-molecular polyethylene with the special feature that the woven structure of the implant is interrupted intra-articularly by "free fibres". Free parallel fibres reduce fatigue and also encourage the ingrowth of fibroblasts and collagen. Each implant is delivered in a sterile packed sleeve, making it easier to handle the implant before it is inserted into the joint. A selection of sizes with different resistances and fibre lengths are available to fit different patient sizes.

Zlig - the technology

In this technique, an artificial ligament is used as a total replacement for the anterior cruciate ligament using tunnel-tunnel-technique. The ligament is fixed in the tibia and Os femoris using specially developed cannulated interference screws in drill channels. The screws are guided parallel to the ligament using a guiding wire to avoid deviations. The technology does not cause irreversible damage and the results are reproducible thanks to a quick learning curve. Another great advantage of the technique is the fact that patients can put weight on the hind leg immediately after the operation without any risks.

16 Fibres / 10 mm

5–8 kg 2,000 N

191501

24 Fibres / 15 mm
8 − 12 kg
3,000 N


191502

32 Fibres / 17 mm ▶ 12 – 25 kg

▶ 4,000 N

191503





QR code for the application video of the Zlig

48 Fibres / 19 mm

48 Fibres / 22 mm

48 Fibres / 25 mm

25-45 kg

6,000 N

25-45 kg

6,000 N

25–45 kg

6,000 N

191504

191505

191506

►

Þ



191506

Zlig – the instrumentation

A small and inexpensive set of instruments is required to perform this new and innovative cruciate ligament surgery method. The threads of the specially developed titanium interference screws are round so they do not cause any damage to the fibres of the Zlig.

Zlig Instrument and Screw Set

Complete set consisting of

- Zlig Instrument Tray with screw module for interference screws
- 5 Twist Drills, cannulated, with round shank (Ø 2.5/3.0/3.6/4.2 & 5.0 mm)
- 1 Twist Drill, not cannulated, with round shank (Ø 4.0 mm)
- Hexagon KIRSCHNER Wire
- Attachment for hexagon KIRSCHNER Wire, HEX 2.5, AO coupling
- Screwdriver Handle made of silicone, HEX 2.9, AO coupling
- > 2 Screwdriver Blades, cannulated (HEX 2.0 & 2.5)
- ▶ 4 KIRSCHNER Wires, trocar/trocar (Ø 1.0 & 1.8 mm)
- ▶ 4 KIRSCHNER Wires, blunt/blunt (Ø 1.0 & 1.8 mm)
- > 2 Tubes for wire loops, cannulated (Ø 2.5 & 3.5 mm)
- 2 Wire Loops
- 4 Titanium Interference Screws, cannulated, Ø 3.0, blue (8 mm)
- ▶ 12 Titanium Interference Screws, cannulated, Ø 3.5, light blue (8, 10, 13 mm)
- ▶ 12 Titanium Interference Screws, cannulated, Ø 4.0, magenta (8, 10, 13 mm)
- ▶ 16 Titanium Interference Screws, cannulated, Ø 4.5, gold (10, 15, 20, 25 mm)
- ▶ 8 Titanium Interference Screws, cannulated, Ø 5.0, green (15, 20 mm)
- ▶ 8 Titanium Interference Screws, cannulated, Ø 6.0, silver (10, 20 mm)

191508

















Eickemeyer

Hindadele lisandub käibemaks +20%

T +49 7461 96 580 0 | F +49 7461 96 580 90 | export@eickemeyer.com | www.eickemeyer.com | All prices excl. VAT | Valid 01/04/2021 - 30/06/2021 26



REICHERT TONO-PEN VETTM TONOMETER

Over the past 20 years, the REICHERT Tono-Pen VET[™] has become the veterinary profession's gold standard for measuring intraocular pressure. The REICHERT Tono-Pen VET[™] has a lightweight, ergonomic design with advanced electronic measurement technology that enables operators to take fast and reliable IOP measurements with minimal training. With over 40 breeds of dogs and cats possessing the predisposition to glaucoma, the REICHERT Tono-Pen VET provides simplicity for monitoring this condition.

- Easy to read, digital display
- Measuring range: 5 80 mmHg
- Small size, only 64 g
- Includes 150 Ocu-Film® Tip Covers

173560

€ 1600

Ocu-Film® Tono-Pen Tip Covers

- Minimises the risk of cross-contamination
- 150 per pack

173565



.....

TONOVET PLUS TONOMETER

The Icare® TONOVET Plus is easy to use. It features an advanced user interface with a clear, large display. Red/green positioning lights help to find the correct angle and aim at the middle of the cornea. The automatic measuring sequence lets you choose between taking single readings or taking all 6 measurements with one press of the button.

- Quick, painless and accurate procedure
- Easy to use and requires no calibration
- Assisting positioning lights
- Large and easy to read colour display
- Dimensions (in mm): L 215 x W 24-29 x D 35-95
- Weight: 230 g (incl. batteries)
- Includes: Transport Case, 100 Probes, 4x AA batteries

1736007





QR code for the application video of the TONOVET Plus

Stand for TONOVET Plus
Table and wall mountable
1736008





KOWA SL-17 PORTABLE SLIT LAMP



The KOWA SL-17 Slit Lamp provides optimum stereoscopic observation with selectable magnifications and slit widths within a compact, lightweight, portable unit. With its non-slip ergonomic grip, the SL-17 provides maximum operator comfort during lengthy examinations.

Features

- Ergonomic and lightweight only 790 g
- Continuously variable LED illumination from 10 K to 20 K lux
- Choice of 10x and 16x magnifications
- 4 slit widths: 0.1 mm, 0.2 mm, 0.8 mm and Ø 12 mm
- Spot illumination: Ø 1 mm, Ø 5 mm, Ø 12 mm
- 1 mm slit length for observing the anterior chamber flare
- Built-in cobalt blue filter
- Standard AAA batteries for up to 280 minutes operation

Technical specifications

- Interior angle: 13°
- Working distance: approx. 80 mm (at 16x magnification), approx. 100 mm (at 10x magnification)
- Field of view: Ø 10 mm (at 16x magnification),
 Ø 15 mm (at 10x magnification)
- Viewing distance: 50 to 72 mm
- Eyepiece dioptric adjustment: -8 to +5D
- Slit projection angle: horizontal: ±60°
- Power input: DC 4.8 6.4 V (4x AAA batteries)
- Dimensions (in cm): W 22 x D 9.5 x H 22.5
- Weight: 790 g (incl. batteries)

173660





KOWA SL-17 Portable Slit Lamp Case

Dimensions (in cm): L 41 x W 34 x H 12

Aluminium construction

Foam padding

173661

€ 150



173660

173661

EICKEMEYER® OPHTHALMIC KITS

Our Ophthalmic kits have been reviewed and approved by an experienced diplomate of the European College of Veterinary Ophthalmology. Both kits include a high quality sterilisation container with a green or red lid and a silicone insert to protect the high quality instruments. Detailed information on the contents of the kits can be found on www.eickemeyer.com/Ophthalmology.

Starter Ophthalmic Kit

This instrument kit provides fundamental equipment for veterinary ophthalmic procedures including eyelid, third eyelid and eyelash surgery, conjunctival and corneal cytology/biopsy and enucleation.

171200




Advanced Ophthalmic Kit

This instrument kit provides the necessary instrumentation for the veterinary surgeon to perform corneal, conjunctival and intraocular procedures.

171201





171201

EICKVIEW PORTABLE LED VIDEO ENDOSCOPES

Due to their extremely compact dimensions, the EickView LED Video Endoscopes are the perfect solution for broncho-, gastro-, rhino-, tracheo, uretero- and vaginoscopy in dogs and cats and for the examination of the upper respiratory tract in horses. The devices work independently, as the powerful LED light source and the high resolution camera of the stand-alone systems are integrated in the distal end of the endoscopes. In addition, the folding 3.5" monitor allows both direct video and image playback as well as storage via SD card. Furthermore the EickView LED Video Endoscopes can be connected to a separate monitor.

- Folding 3.5" monitor for video and picture playback
- Recording and archiving on integrated SD card
- File formats: JPG, AVI
- Integrated powerful LED light source
- Rechargeable Battery with up to 3 hours of operation
- USB port and video out
- Depth of field: 5 60 mm
- Direction of view: 0°
- Field of view: 110°

EickView L	EickView LED Video Endoscopes							
ltem No.	Description	Working length	Outer Ø	Working channel	Deflection		€	
306009	EickView 60S	60 cm	3.3 mm	1.2 mm	up 180° down 130°		5 100,-	
306011	EickView 60	60 cm	4.2 mm	1.3 mm	up 180° down 130°		5 100,-	
306010	EickView 70	70 cm	6.0 mm	2.0 mm	up 180° down 130°		5 100,-	
306166	EickView 100E	100 cm	8.0 mm	2.8 mm	up 150° down 130°		4 900,-	
306164	EickView 150E	150 cm	8.0 mm	2.8 mm	up 130° down 130°		4 900,-	

Accessories	Accessories						
ltem No.	Description	Diameter	Length		€		
306211	Alligator Forceps, EickView 60/60S	1.0 mm	120 cm		320,-		
306311	Biopsy Forceps, EickView 60/60S	1.0 mm	120 cm		320,-		
306214	Alligator Forceps, EickView 70	1.8 mm	120 cm		230,-		
306314	Biopsy Forceps, EickView 70	1.8 mm	120 cm		230,-		
306216	Alligator Forceps, EickView 100E/150E	2.4 mm	230 cm		230,-		
306316	Biopsy Forceps, EickView 150E	2.4 mm	230 cm		230,-		



306214



306314



306009

You can now combine the new EickView HD Video Endoscope System according to your wishes and requirements.

EickView HD Video Processor

The EickView HD Video Processor is the central hub of your video endoscope system. The powerful LED light source enables optimal illumination in any position. Various settings on the video processor allow you to adapt the image quality to your needs. The new HbE mode enables an improved display of vessels. Still images can easily be saved directly to a USB storage medium. The image data can be transferred to an existing PC or Laptop.

306167



EickView HD Video Endoscopes

Due to further improved video chips, the EickView HD Video Endoscopes deliver even more brilliant images. The main areas of application are bronchoscopy and gastroscopy. Due to the large number of available scope sizes, they are suitable for all applications in small animals and equine.

Technical specifications

- Viewing direction: 0°
- Distal end contains 1 CMOS camera chip, 2 light guides, working channel, lens rinsing nozzle
- Scope of delivery: EickView video endoscope, pressure tester, 2 cleaning brushes, cleaning set, carrying case

EickView PRO HD Upgrade

The EickView PRO HD Upgrade turns the HD Video Processor into a stand-alone and mobile

endoscopy unit. Furthermore it opens access to other endoscopic disciplines such as arthroscopy, rhinoscopy, otoscopy, etc. The foldable and rotatable Full HD Touch Screen Tablet provides greater functionality because the tablet can not only be used to view images and videos but also for recording, storage and editing. Further advantages of the upgrade are the easy to use imaging software, a keyboard and mouse for easy patient and image management as well as a USB hub for connecting an optional USB endoscopy camera.

30616701





EickView	EickView HD Video Endoscopes								
Item No.	Description	Working length	Outer Ø	Working channel	Depth of field	Field of view	Deflection		€
306177	EickView 60 HD Endoscope	60 cm	3.5 mm	1.2 mm	3–50 mm	120°	up 160° down 130° left/right 0°		8 600,-
306178	EickView 100 HD Endoscope	100 cm	6.0 mm	2.0 mm	3–50 mm	120°	up 210° down 90° left/right 100°		8 600,-
306168	EickView 150 HD Endoscope	150 cm	8.5 mm	2.0 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°		5 200,-
306169	EickView 150L HD Endoscope	150 cm	9.2 mm	2.8 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°		5 200,-,-
306170	EickView 300 HD Endoscope	300 cm	13.0 mm	3.2 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°		5 400,-,-

Hindadele lisandub käibemaks +20%

tartu@

AESCULAP VEGA CORDLESS CLIPPER

This medium-sized clipper is ideal for clipping abdominal,

Adjustable blade cutting length: 0.5/1.5/2.5 mm

Battery life up to 50 minutes/2 hours to recharge

These ever popular clippers are now equipped with a powerful Li-Ion battery. They are ideal for cat forelimb, head and neck regions.

- Superior cordless clipping
- Reduced noise and vibration
- Blade cutting width: 24 mm
- Blade cutting length: 0.5 mm
- Battery life up to 90 minutes/90 minutes to recharge
- Weight: 115 g
- Including one Clipper Blade

902605



Isis Spare Clipper Blade





Vega Clipper Blade 902603 € 33

forelimb and neck regions.

Charging indicator

Weight: 250 g

▶

902602

€ 259

Superior cordless clipping

Reduced noise and vibration

Blade cutting width: 40 mm

Including one Clipper Blade

+ 1 tera lisaks

902602

AESCULAP DURATI CORDLESS CLIPPER

The new small animal cordless clipper will win you over with its excellent price-performance ratio and proven AESCULAP quality.

- A strong battery with lithium ion technology enables an extra-long run time of approx. 4 hours
- Ergonomically shaped, lightweight handle for fatigue-free operation
- Charger with charging compartments for clipper and optional second battery
- Battery life up to 4 hours/approx. 4 hours to recharge
- Weight: 380 g
- Including one size 10 SnapOn Clipper Blade

904020





904020

PROTECTION GAUNTLETS

- Suitable for cats and handling raptors
- Rawhide leather construction with lining
- Length: 300 mm

20150001





tartu@ estdoma.ee

veterinaartarvikud.ee

.....

PET NAIL CLIPPER SET

Set includes

- Pet Nail Clipper, Guillotine
- Pet Nail Clipper, Large, Spring action
- Pet Nail Clipper Scissors
- Pet Grooming Glove

908013





DOG MUZZLE SET

Set includes

- Sizes 0, L: 6.5 cm
- Sizes 1, L: 9.5 cm
- Sizes 2, L: 12.5 cm
- Sizes 3, L: 13.5 cm
- Sizes 4, L: 15 cm
- Sizes 5, L: 16 cm

951210





Application

MELAG AUTOCLAVE MELATRONIC 23 EN

MELAG autoclaves have proven themselves for decades in many veterinary practices. MELAG is a world leader in the hygiene sector, and through a constant development in products, a high quality level is ensured. Also an extensive network of service partners offers reliable service, including after sales service.

MELAtronic[®] 23 EN works with a fractionated, microprocessor controlled gravity system, which rapidly reduces the content of remaining air and effectively attains saturated steam. The complete sterilisation cycle takes place automatically. An integrated water quality monitor, a water level indicator and a double-spaced alphanumeric display makes it easy to use. In the Universal program "S", wrapped instruments can be sterilised. With the Quick program "N", a small number of quickly required unwrapped instruments are readily available again after 17 to 21 minutes.

- Compact, robust and reliable
- Integrated water quality monitoring
- Microprocessor controll unit with active drying
- Up to 5 trays (sold separately) with a total weight of 4 kg of solid or 400 g of porous loads can be sterilized
- Chamber Size: 19 litres, Ø 23 x D 45 cm
- Unit weight: 30 kg
- Unit Dimensions (in mm): W 510 x H 380 x D 550

50002302





MELAG VACUVET AUTOCLAVE - B CLASS

The MELAG Vacuvet 23 B+ is an extremely reliable and effective B Class vacuum autoclave, which makes it possible to sterilise various load sizes in the veterinary practice. It requires minimal installation to work in your practice and its integrated funnel-shaped opening for the water storage tank makes it easy to fill with demineralised or distilled water.

- Large load quantities and short program cycles
- Reliable sterilisation and simple operation
- Pre-heated chamber for improved drying results
- Chamber Size: 23 litres, Ø 25 x D 45 cm
- Maximum load: 5 kg instruments, 1.8 kg textiles
- Includes 3 trays, but can accommodate up to 5

500079







STERILISATION CONTAINER


Sterilisation containers allow comfortable handling of your sterile goods and offer a high level of safety for patients and employees. The long service life ensures high efficiency and environmental compatibility.

- With textile filter in lid and bottom
- Side closures

Base for Sterilisation Container

Colour: silver

Dimensions (in cm): L 30 x W 14 x H 4 500604





Dimensions (in cm): L 30 x W 14 x H 7



€ 60



With textile filter and label holder

Variations		
Illustration	Colour	item No.
	Silver	500700
	Yellow	500701
	Red	500702
	Blue	500703
	Green	500704
	Black	500705

Each



Premium Instrument Box Filter Cloth

- Can be cut to required size
- Dimensions (in cm): L 100 x W 120

500500



PTFE Filter

- For 1200 sterilization cycles
- Can be used with 500604, 500607, 500610, 500700, 500701, 500702, 500703, 500704, 500705, 185100, 185101, 185103, 500801, 500900, 981702
- Dimensions (in cm): L 21.5 x B 9.5

500511








500500

500511





CALM CARRIER – FOR CATS

The innovative award-winning sliding drawer carrier for cats

The Calm Carrier is a newly developed transport carrier for cats that makes loading and unloading so much easier. The patented sliding drawer avoids the often dreaded forced situation and reduces the stress associated with transport for both the patients and their owners.

- Made of odour- and dirt-repellent plastic
- For small animals up to 9 kg body weight
- Easy self-assembly no tools necessary
- Dimensions (in cm): L 51 x W 36 x H 33
- Weight: 2.5 kg
- Sold in a set of 3 carriers

643000





VETERINARY REFRACTOMETER

- The refractometer is a valuable practice tool providing fast results
- Graduated scale
- Small sample sizes (1 drop)
- Lens with diopter adjustment

726000







ZWOOZI ROUND STOOL

- Padded synthetic leather seat
- Adjustable height: 64–85 cm
- Seat width: 35 cm
- Gas lift mechanism
- 5 star base with swivel castors



€ 55



TABLE TOP SCALE FOR SMALL ANIMALS

- Vaulted weighing surface
- Tare weighing function
- Large LCD Display
- Graduation: 5 g
- Load-bearing capacity: 20 kg
- Automatic switch-off
- Kg/lb conversion
- Batteries included (2 x 1.5 V)
- Dimensions (in cm): L 55 x W 31 x H 5.3

909056

